

ARCTIC ARMOR SAFETY COVERS

MEASURING AND ORDERING FORM

| • | | | | |
|---|-----------------------|---|--|--|
| Date | ☐ Order☐ Estimate | Company Name | | |
| COVER TYPE | | ER COLOR | | ANCHOR TYPI |
| 12-Yr. Standard Mesh 12-Yr. Solid w/Mesh Drain 15-Yr. Gold Mesh 15-Yr. Gold Solid w/Mesh | n Panel 🛄 G | Green □ Blue Green □ Blue Green □ Blue Green | | □ Concrete□ Wood Deck |
| SOLD TO: Name | | SHIP TO: Name | | |
| Address | | Address | | |
| CityStat | e Zip | City | State | Zip |
| Phone # | Fax # | E-mail Address _ | | |
| DIRECTION | ONS FOR MEAS | SURING NON-FO | RMFIT COVER | <u> </u> |
| <u>PLEASE FI</u> | | EMENTS BELOW FOR ELECTED POOL TYPE | YOUR POOL TYPE | ; : |
| RECTANGLE | | GRECIAN | OVA | L 🗆 |
| D | | C D F | | C |
| ROMAN | INDICAT FROM | LAZY L E LEFT OR RIGHT "BEND" DEEP TO SHALLOW END | TRU | EL 🗆 |
| F C D E | D D | C I F | D H | E |
| THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPA ING UNLESS OTHERWISE SPECIFIED | FILL IN POO C D | | PROVIDE DRA SHOW STEP L AND DIMENSI CUTOUT INFO | OCATION ONS AND ANY |

All gunite pools must be AB measured due to their lack of symmetry.


A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1' to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.


Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.



| POOI | L TYPE | : | VINYL | | ackage p | G ool brand | UNITE | | | 01 | THER | | | |
|-------|-----------|----------|-----------|--------|----------|-----------------------|-------|---|-----|---------|------|----------------|--------|-----------|
| Overa | all lengt | th | | | , from | point | | | to | point _ | | | (longe | st point) |
| | | | | | | point | | | | | | | | |
| | | | | | | | | | | | | | - | |
| | | | to Pt#= | | | | | | , | | | — — | | |
| Sho | wABi | n relat | ion to th | e pool | (on ske | etch) s than 4' | | | | | | | | |
| No. | Α | В | No. | Α | В | No. | Α | В | No. | Α | В | No. | Α | В |
| 1 | | | 17 | | | 33 | | | 49 | | | 65 | | |
| 2 | | | 18 | | | 34 | | | 50 | | | 66 | | |
| 3 | | | 19 | | | 35 | | | 51 | | | 67 | | |
| 4 | | | 20 | | | 36 | | | 52 | | | 68 | | |
| 5 | | | 21 | | | 37 | | | 53 | | | 69 | | |
| 6 | | | 22 | | | 38 | | | 54 | | | 70 | | |
| 7 | | | 23 | | | 39 | | | 55 | | | 71 | | |
| 8 | | | 24 | | | 40 | | | 56 | | | 72 | | |
| 9 | | | 25 | | | 41 | | | 57 | | | 73 | | |
| 10 | | | 26 | | | 42 | | | 58 | | | 74 | | |
| 11 | | | 27 | | | 43 | | | 59 | | | 75 | | |
| 12 | | | 28 | | | 44 | | | 60 | | | 76 | | |
| 13 | | | 29 | | | 45 | | | 61 | | | 77 | | |
| 14 | | | 30 | | | 46 | | | 62 | | | 78 | | |
| 15 | | | 31 | | | 47 | | | 63 | | | 79 | | |
| 16 | | | 32 | | | 48 | | | 64 | | | 80 | | |

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



ADDITIONAL REQUIRED INFORMATION

Please submit labelled photos for pools with complex features! Cutouts may be required if objects are within 18" of pool. Please provide A-B dimensions to locate object.

All non-removable obstacles.

| 1. | Grabrails: Distance rails are | | to Pt# ool |
|-----|---|---|---------------------------------|
| 2. | Handrails: Distance rails exte | | to Pt# |
| 3. | Ladders: Ladder Cups (if cutout needed) How far does ladde | Pt# | _to Pt# _to Pt# bl? |
| 4. | | • | |
| 5. | Dive Stand: | Pt# | _to Pt# |
| 6. | Slide Legs: (within 2 ft) Distance legs are I | | _to Pt# |
| 7. | Dive Rocks: Distance back from Give several points right side) | n pool | _to Pt# ft side, front side, |
| 8. | Grab Rocks: Distance back from | | |
| 9. | Type and width of c | oping: | and |
| 10. | Planter or grass are | a: Pt# | to Pt# |
| 11. | How high is spa? _ Is spa wall flush with Open Spillway: | quired Yes n top of coping? Yes pillway Pt# und spa and poi | Yes No No to Pt# |

| 12. | Raised wall or Ra | aised Bo | nd Beam: | | | | | |
|------|--|--------------|-------------------------------|--|--|--|--|--|
| | | Pt# | to Pt# | | | | | |
| | Give A-B dimens | | peginning of wall, as well as | | | | | |
| | | | Height? | | | | | |
| | J | | 0 ———— | | | | | |
| 13 | Waterfall or Rock | c Format | ion: | | | | | |
| | Tratorial of Floor | | to Pt# | | | | | |
| | Furnish points at | | | | | | | |
| | Furnish points at beginning, middle, end of formation. Always use approximate 1' intervals between | | | | | | | |
| | - | approxi | mate i intervais between | | | | | |
| | points. | | | | | | | |
| | | | | | | | | |
| 14. | Varying Deck Lev | | | | | | | |
| | • | | to Pt# | | | | | |
| | | • | ndicating angle of the deck | | | | | |
| | from pool wall, out onto deck. Height? | | | | | | | |
| | | | to Pt# | | | | | |
| | step 3: | Pt# | to Pt# | | | | | |
| 15 | Wood Deck: | Yes | No | | | | | |
| | Are wood deck a | nchor | | | | | | |
| | flanges required | Yes _ | No | | | | | |
| | Indicate partial wood deck areas: | | | | | | | |
| | Pt#t | | | | | | | |
| | | | | | | | | |
| 16 | Commercial Poo | ŀ | | | | | | |
| . •. | Skimmer | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | - | | ter | | | | | |
| *^^ | | _ | st be made in 3x3 sections | | | | | |
| CC | ivers over 2000 st | q. II. IIIus | st be made in 3x3 sections | | | | | |
| ۸ | ditional Description | | | | | | | |
| Add | ditional Requireme | ents | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |